



Sterillium® classic pure

The colorant- and fragrance-free version of the classic Sterillium®. Inactivates Norovirus within the hygienic hand disinfection and has the limited spectrum of virucidal activity.



Image may vary according to local requirements

Application

Sterillium® classic pure is suitable for both hygienic and surgical hand disinfection. Sterillium® classic pure is used as a ready-to-use alcohol-based rub-in product – independently of water and wash basin – to prevent infection in all areas of health-care and industry where hygiene is important. Sterillium® classic pure not only feels great on the hands, but also increases skin hydration of the skin when used regularly.

Directions for use

Hygienic hand disinfection: Apply sufficient amount (min. 3 ml) of undiluted hand disinfectant to the cupped hand so that all areas of the hands can be wetted thoroughly and completely. Carefully rub in hand disinfectant for 30 seconds – ensure to cover all areas of skin.

Surgical hand disinfection: Thoroughly rub Sterillium® classic pure into hands and forearms up to the elbows. When treating hands, pay particular attention to fingertips, palms and thumbs. Hands and forearms are to be kept wet during the entire application time of 1.5 minutes.

Characteristics

- comprehensive efficacy, including limited spectrum virucidal activity
- inactivates Norovirus within the hygienic hand disinfection
- superior skin care properties compared to chlorhexidin products [1]
- superior efficacy of propanolic (with same concentration) products against bacteria compared to ethanolic products [2]
- all-year-product
- increases skin hydration, preserves skin elasticity and the natural smoothness of the skin
- with proven skin and lipid replenishing care complex, particularly kind to skin due to the absence of fragrances and colorants



| Proven efficacy | Testing method | Exposure time |
|--|----------------|---------------|
| Bacteria / Fungi | | |
| Hygienic hand disinfection | EN 1500 | 30 sec |
| Surgical hand disinfection | EN 12791 | 1.5 min |
| Bactericidal | EN 13727 | 15 sec |
| Yeasticidal | EN 13624 | 15 sec |
| Tuberculocidal | EN 14348 | 30 sec |
| Mycobactericidal | EN 14348 | 30 sec |
| Viruses | | |
| Virucidal activity against enveloped viruses | EN 14476 | 15 sec |
| Limited spectrum virucidal activity | EN 14476 | 1 min |
| Adenovirus | EN 14476 | 1 min |
| Norovirus | EN 14476 | 30 sec |

Composition

Active substances: Propan-2-ol 450 mg/g, Propan-1-ol 300 mg/g, Mectronium ethyl sulfate 2 mg/g.

Microbiology

Bactericidal, yeasticidal, tuberculocidal mycobactericidal, virucidal against enveloped viruses and limited spectrum virucidal activity

