Versio 1.12	n Revision Date: 11.07.2023	SDS Nu R11539		
1. PRO	DUCT AND COMPANY IDE		N	
Pr	oduct name	: Baci	illol Wipes	
	anufacturer or supplier's c anufacturer		DE Chemie GmbH	
1110		Mela 2252	anchthonstraße 27 25 Hamburg (Germany) : +49 (0)40 / 54 00 60	
Su	ıpplier	:		<b>IST</b>
Re	esponsible Department		entific Affairs @bode-chemie.de	!
Er	nergency telephone number		notruf Göttingen -Phone +49 (0)551 / 1 92 40	
Re	ecommended use of the cl	nemical and i	restrictions on use	
Re	ecommended use	Disir hum Food	loor use nfectants and algaecides not intended for direct application to hans or animals d and feed area disinfectants further information, refer to the product technical data sheet.	
Re	estrictions on use	: Rest	tricted to professional users.	

## 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	:	Category 3
Serious eye damage/eye irritation	:	Category 2A
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	:	Prevention:
		P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		Response:
		<ul> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> </ul>

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-1-ol	71-23-8	>= 30 - < 50
Propan-2-ol	67-63-0	>= 20 - < 30
Ethanol	64-17-5	>= 1 - < 10

#### 4. FIRST AID MEASURES

General advice	:	If you feel unwell, seek medical advice (show the label where possible).
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation.
Notes to physician	:	For specialist advice physicians should contact the Poisons Infor- mation Service.
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.
Unsuitable extinguishing media	:	none
Hazardous combustion products	:	No hazardous combustion products are known
Specific extinguishing methods	:	Standard procedure for chemical fires.
Special protective equipment for firefighters	:	Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency pro- cedures	:	Ensure adequate ventilation. Remove all sources of ignition.
Environmental precautions	:	Should not be released into the environment.
Methods and materials for con- tainment and cleaning up	:	Use mechanical handling equipment.

### 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.
Conditions for safe storage	:	Store in original container. Keep tightly closed.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parameters	Basis
		(Form of ex-	/ Permissible con-	
		posure)	centration	
Propan-1-ol	71-23-8	TWA	100 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Ethanol	64-17-5	STEL	1.000 ppm	ACGIH

### **Biological occupational exposure limits**

Components	CAS-No.	Control pa- rameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of workweek	40 mg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Protective measures	:	No special protective equipment required.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety prac- tice. Do not get in eyes. Keep away from food and drink.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid absorbed by inert carrier material
Colour	:	colourless
Odour	:	pleasant
рН	:	No data available
Boiling point/boiling range	:	> 80 °C
Flash point	:	25 °C
		Method: DIN 51755 Part 1
Flammability (solid, gas)	:	No data available
Lower explosion limit / Lower flammability limit	:	2 %(V)
Vapour pressure	:	41 hPa (20 °C)
Density	:	0,855 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	soluble

### **10. STABILITY AND REACTIVITY**

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat Strong sunlight for prolonged periods.
Incompatible materials	:	None.
Hazardous decomposition prod- ucts	:	No decomposition if stored and applied as directed.

### 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

Product:		
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Components:		
Propan-1-ol (CAS: 71-23-8):		
Acute oral toxicity	:	LD50 Oral (Rat): 8.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 33,8 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 Dermal (Rabbit): 4.032 mg/kg Method: OECD Test Guideline 402
Propan-2-ol (CAS: 67-63-0):		
Acute oral toxicity	:	LD50 Oral (Rat): > 5.000 mg/kg
Acute dermal toxicity	:	LD50 Dermal (Rabbit): > 5.000 mg/kg
Ethanol (CAS: 64-17-5):		
Acute oral toxicity	:	LD50 Oral (Rat): 10.470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 51 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403



Skin corrosion/irritation				
Not classified based on available information.				
Components:				
Propan-1-ol (CAS: 71-23-8):				
Species : Method : Result :	Rabbit OECD Test Guideline 404 No skin irritation			
Propan-2-ol (CAS: 67-63-0):				
Species : Result :	Rabbit No skin irritation			
Ethanol (CAS: 64-17-5):				
Species : Result : Remarks :	human skin Mild skin irritation Based on available data, the classification criteria are not met.			
Serious eye damage/eye irritation Causes serious eye irritation.	n			
Product:				
Result	Eye irritation			
Components:				
Propan-1-ol (CAS: 71-23-8):				
Species Method Result	Rabbit OECD Test Guideline 405 Irreversible effects on the eye			
Propan-2-ol (CAS: 67-63-0):				
Species Result	Rabbit Eye irritation			
Ethanol (CAS: 64-17-5):				
Species : Method : Result :	Rabbit OECD Test Guideline 405 Irritating to eyes.			
Respiratory or skin sensitisation				
Skin sensitisation Not classified based on available in	formation.			
Respiratory sensitisation Not classified based on available in	formation			
Components:				
Propan-1-ol (CAS: 71-23-8):				
Test Type Species Method Result	Maximisation Test Guinea pig OECD Test Guideline 406 Did not cause sensitisation on laboratory animals.			

### Propan-2-ol (CAS: 67-63-0):

	Test Type Species Result	:	Buehler Test Guinea pig Did not cause sensitisation on laboratory animals.			
	<b>Ethanol (CAS: 64-17-5):</b> Species Method Result	:	Mouse OECD Test Guideline 429 Does not cause skin sensitisation.			
	Germ cell mutagenicity					
	Not classified based on available	info	rmation.			
	Components:					
	Propan-1-ol (CAS: 71-23-8):					
	Genotoxicity in vitro	:	Test Type: in vitro assay Result: negative			
	Propan-2-ol (CAS: 67-63-0):					
	Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative			
	<b>Carcinogenicity</b> Not classified based on available information.					
	Reproductive toxicity Not classified based on available information.					
	<b>STOT - single exposure</b> Not classified based on available information.					
	STOT - repeated exposure Not classified based on available information.					
	Repeated dose toxicity No data available					
	Aspiration toxicity					
	Not classified based on available information.					
	Experience with human exposure No data available					
	Toxicology, Metabolism, Distril No data available	outi	on			
	Neurological effects No data available					
12. I	ECOLOGICAL INFORMATION					
	Ecotoxicity					
	Components:					
	$\frac{\text{components}}{\text{Propagate 1}}$					

Propan-1-ol (CAS: 71-23-8): Toxicity to fish

:

LC50 (Pimephales promelas (fathead minnow)): 4.554 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203

## SAFETY DATA SHEET

# **Bacillol Wipes**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.300 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC ( Chlorella pyrenoidosa (algae)): 1.150 mg/l Exposure time: 48 h Test Type: Growth inhibition
		EC50 ( Pseudokirchneriella subcapitata (green algae)): 9.170 mg/l Exposure time: 72 h Test Type: Growth inhibition
Toxicity to microorganisms	:	IC50 (Bacteria): > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Bronan 2 of (CAS: 67-62-0).		
Propan-2-ol (CAS: 67-63-0): Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 8.692 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 2.285 mg/l Exposure time: 48 h
		NOEC (Daphnia magna (Water flea)): 141 mg/l Exposure time: 16 d
Toxicity to algae/aquatic plants	:	EC50 ( Pseudokirchneriella subcapitata (green algae)): 10.500 mg/l Exposure time: 72 h
Ethonol (CAS: 64 47 5);		
<b>Ethanol (CAS: 64-17-5):</b> Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 11.200 mg/l Exposure time: 96 h
	:	
Toxicity to fish Toxicity to daphnia and other	:	Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Toxicity to algae/aquatic plants		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC ( Chlorella vulgaris (Fresh water algae)): 9,6 mg/l Exposure time: 72 h
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Toxicity to algae/aquatic plants Persistence and degradability		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC ( Chlorella vulgaris (Fresh water algae)): 9,6 mg/l Exposure time: 72 h
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Toxicity to algae/aquatic plants		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC ( Chlorella vulgaris (Fresh water algae)): 9,6 mg/l Exposure time: 72 h
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Toxicity to algae/aquatic plants Persistence and degradability Product:		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC ( Chlorella vulgaris (Fresh water algae)): 9,6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: According to the results of tests of biodegradability this
Toxicity to fish Toxicity to daphnia and other aquatic invertebrates Toxicity to algae/aquatic plants Persistence and degradability Product: Biodegradability		Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 9.268 mg/l Exposure time: 48 h EC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC ( Chlorella vulgaris (Fresh water algae)): 9,6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: According to the results of tests of biodegradability this

## SAFETY DATA SHEET

# **Bacillol Wipes**

Ethanol (CAS: 64-17-5): Biodegradability	:	Result: Readily biodegradable.
Diodegradability	•	Result. Readily blodegradable.
Bioaccumulative potential		
Components:		
Propan-1-ol (CAS: 71-23-8):		
Partition coefficient: n- octanol/water	:	log Pow: 0,25
Propan-2-ol (CAS: 67-63-0):		
Partition coefficient: n- octanol/water	:	log Pow: 0,05
Ethanol (CAS: 64-17-5):		
Partition coefficient: n- octanol/water	:	log Pow: -0,35
Mobility in soil		
Components:		
Propan-2-ol (CAS: 67-63-0):		
Distribution among environmen- tal compartments	:	Remarks: Mobile in soils
Other adverse effects		
Product:		
Adsorbed organic bound halo- gens (AOX)	:	Remarks: No data available
13. DISPOSAL CONSIDERATIONS		
Disposal methods		
Waste from residues	:	Dispose of as hazardous waste in compliance with local and national
		regulations. Waste codes should be assigned by the user, preferably in discus- sion with the waste disposal authorities.
Contaminated packaging	:	Empty remaining contents. Store containers and offer for recycling of material when in accord- ance with the local regulations.
14. TRANSPORT INFORMATION		
ADR		
UN number	:	UN 3175
Proper shipping name	:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (propan-1-ol, propan-2-ol)
Class		(propart r-or, propart-2-or) / 1

Class

Packing group Labels

Hazard Identification Number

Tunnel restriction code Limited quantity (LQ) 4.1

ll 4.1

40

(E) 1,00 KG

::

UN number : UN 3175	
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S (propan-1-ol, propan-2-ol)	3.
Class : 4.1	
Packing group : II	
Labels : 4.1	
IATA-DGR	
UN/ID No. : UN 3175	
Proper shipping name : Solids containing flammable liquid, n.o.s.	
(propan-1-ol, propan-2-ol)	
Class : 4.1	
Packing group : II	
Labels : Flammable Solid	
Packing instruction (cargo air- : 448 craft)	
Packing instruction (passenger : 445 aircraft)	
IMDG-Code	
UN number : UN 3175	
Proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S	3.
(propan-1-ol, propan-2-ol)	
Class : 4.1	
Packing group : II	
Labels : 4.1	
EmS Code : F-A, S-I	
Limited quantity (LQ) : 1,00 KG	
Marine pollutant : no	

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other international regulations

## The components of this product are reported in the following inventories:

TSCA	:	All substances listed as active on the TSCA inventory


### **16. OTHER INFORMATION**

Revision Date	:	11.07.2023
Date format	:	yyyy/mm/dd

### Safety datasheet sections which have been updated:

8. Exposure controls/personal protection

#### **Further information**



HMIS® IV:

HEALTH	1	1
FLAMMABILITY		3
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI)
	8-hour, time-weighted average Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS -Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS -Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specifica-

## SAFETY DATA SHEET

# **Bacillol Wipes**

tion. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TC / EN

